

Unless other	wise speci	fied: Dimensions ar	e in Millimeters
Nt ' 1 '			
0.5 - 3.0:	±0.05	Surface Finish:	
3.0 - 6.0:	±0.1	Radius:	
6.0 - 30:	±0.2	Corner:	
30 - 120:	±0.3	Liner:	
120 - 315:	±0.5	Angular:	±2°
315 - 1000:	±0.8		

Debur and Break Sharp Edges







Scale (1:1)

		W	Н	L*
± 0.5 mm		±0.50mm	±0.50mm	±5mm

		***************************************		***************************************
50	С	9.5	2.25	112.5
	Diameter	Diameter ± 0.5mm Type	Diameter ± 0.5mm Section Type ±0.50mm	$\begin{array}{c c} \text{Diameter} \\ \pm 0.5 \text{mm} \end{array} \begin{array}{c} \text{Section} \\ \text{Type} \end{array} \begin{array}{c} \text{W} \\ \pm 0.50 \text{mm} \end{array} \begin{array}{c} \text{H} \\ \pm 0.50 \text{mm} \end{array}$

Drawing No.
C50T

FUJI BURUDON MFG CO LTD

Proprietary and Confidential

The information contained in this drawing is the sole property of Fuji Burudon MFG. Any reproduction in part or as a whole without the written permission of Fuji Bururdon MFG. is prohibited.